	COUNTY OF SACRAMENTO EMERGENCY MEDICAL SERVICES AGENCY	Document #	8025.17
	<u>PROGRAM DOCUMENT:</u> Burns	Initial Date:	09/01/92
		Last Approved Date:	03/12/20
		Effective Date:	07/01/20
		Next Review Date:	03/01/22

 Signature on File
 EMS Medical Director

 Signature on File
 EMS Administrator

Purpose:

- A. To serve as the treatment standard for treating patients burned by caustic material, electricity or heat.

Authority:

- A. California Health and Safety Code, Division 2.5
- B. California Code of Regulations, Title 22, Division 9

Protocol:

BLS
<ol style="list-style-type: none"> 1. ABC's/Routine Medical Care: <ol style="list-style-type: none"> a. Stop the burning process. Remove patient from source of the burn. Remove burning or smoldering clothing and remove jewelry. Administer supplemental O2 as necessary to maintain SpO2 ≥ 94%. Be prepared to support ventilation with appropriate airway adjuncts. Check for associated injuries and apply dry sterile dressings to burned areas. 2. Inhalation Injury: Assess for: <ol style="list-style-type: none"> a. Burns around face and neck b. Singed nasal hairs c. Soot around nose and mouth d. Chemical inhalation 3. Caustic and Chemical Burns: Wear protective clothing and gloves and consider the presence of hazardous materials. Remove source of burn. Remove all clothing. Wash with copious amounts of water. Do not scrub. 4. Electrical Burns: Electrical burns are potentially severe injuries not apparently visible from the surface wound that require further treatment in the hospital. Check for, and dress all entrance and exit wounds. 5. Transport. <p>NOTE: Check for associated injuries. Treat shock, if present. Do not apply ice or creams to the area. Fire in enclosed space suggests smoke inhalation or carbon monoxide poisoning.</p>

ALS

1. Advanced Airway: Consider early if evidence of airway burns.
2. Cardiac Monitoring, SpO2 monitoring, and ETCO2 monitoring for intubated patients.
3. Initiate large bore vascular access in patients with major burns (>9%).
 - Titrate to systolic blood pressure of ≥ 90 mmHg.
 - Administer 500 ml NS fluid bolus to all adult patients with a Total Body Surface Area (TBSA) of burns $\geq 50\%$
 - When possible the preferred vascular access site is an unburned area.
4. Pain Management: If partial or full thickness burn with moderate to severe pain and without evidence of or mechanism of internal head, chest or abdominal injury, consider administration of pain medication per Pain Management policy PD#8066.

NOTE: Any patient with the following shall be transported to UCDMC Burn Center:


- Partial thickness >9% of body surface.
- Any electrical or any chemical burn.
- Evidence of possible Inhalation Injury.
- Any burn to the face, hands, feet, genitalia, perineum or major joints.
- Cardiac arrest shall go to the closest E.D.

Estimating Burn Size (either method can be used):

Rule of Palm: The palm of the person who is burned (not fingers or wrist area) is about 1% of the body. Use the person's palm to measure the body surface area burned.


Rule of Nines:

Infant



© 2018 Healthwise

Adult



© 2018 Healthwise

Cross Reference: Pain Management: PD# 8066
Respiratory Distress: PD# 8026
Respiratory Distress: Airway Management: PD# 8020
Cardiac Arrest: PD# 8031