	COUNTY OF SACRAMENTO EMERGENCY MEDICAL SERVICES AGENCY	Document #	8029.15
	<u>PROGRAM DOCUMENT:</u> Hazardous Materials	Initial Date:	05/15/95
		Last Approval Date:	03/12/20
		Effective Date:	07/01/22
		Next Review Date:	03/01/24

 EMS Medical Director

 EMS Administrator

Purpose:

- A. To ~~establish serve as~~ the treatment standard for ~~treating~~ patients exposed to hazardous materials in the prehospital setting.

Authority:


- A. California Health and Safety Code, Division 2.5
- B. California Code of Regulations, Title 22, Division 9

Special Note:

- A. EMS providers should not enter any contaminated area if there is any suspected hazardous materials contamination. EMS providers should immediately activate a Fire Hazmat Response by contacting the Sacramento Regional Fire/EMS Communications Center (SRFECC).

Policy:

- A. Avoid contamination of Emergency Medical Service (EMS) providers and EMS transport equipment - accept only decontaminated patients for transport.
- B. Do NOT enter the exclusion zone. A paramedic will not use specialized protective equipment / breathing apparatus unless they have been specifically trained in its use prior to the incident.
- C. When possible identify the suspected contaminant and notify the receiving hospital as soon as possible, so they may prepare to receive victims.
- D. In general, helicopter transport of contaminated patients is not appropriate.
- E. ALL patients without radiation will undergo primary decontamination at the scene.
- F. Radiation contaminated patients with immediate injuries do not require extensive decontamination prior to transport.



Cross Reference: ~~Medication Administration: MARK I Nerve Agent Antidote Kit: #8826~~
~~Medication Administration: DuoDote Auto-Injectors: #8836~~
 PD# 8027 – Symptomatic Nerve Agent Exposure – Treatment